

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 1

Global changes can be made to some resources in Microsoft Dynamics GP. When a global change is made, this change affects the entire dictionary. Using Modifier, what type of resource can be customized with a global change? Choose the 3 that apply.

- A - Pictures
- B - Data Types
- C - Tables
- D - Messages

Answer: A, B, D

Question: 2

Original Microsoft Dynamics GP windows customized using Modifier get stored in the Forms.dic. When does the Forms.dic get created?

- A - Installation of Microsoft Dynamics GP
- B - Opening of Microsoft Dynamics GP
- C - The first time you access Modifier from the application
- D - When reg keys are added to allow access to Modifier

Answer: C

Question: 3

In VBA what method should be used before updating the value of a field?

- A - Activate
- B - Focus
- C - Open
- D - Move

Answer: D

Question: 4

Graphical objects are used throughout the Microsoft Dynamics GP application. In Modifier, what objects can be used to display graphics? Choose the 2 that apply.

- A - String
- B - Lookup Button
- C - Push Button
- D - Message

Answer: B, C

Question: 5

You are asked to modify a Microsoft Dynamics GP window by adding fields to it. Using Modifier, what type of fields can be added? Choose the 2 that apply.

- A - Local Fields
- B - Fields from any table attached to the form
- C - Fields from the auto-linked table
- D - Fields from the table created by the user

Answer: A, C

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 6

In Modifier the user opens an existing Microsoft Dynamics GP data type "DDL_Country". This data type is a drop-down list containing 3 static text values. What options are available for customizing the static text values?

- A - Insert
- B - Remove
- C - Replace
- D - Edit

Answer: C

Question: 7

In Microsoft Dynamics GP scrolling windows are used to display multiple lines of information. What types of scrolling windows exist in the application? Choose the 3 that apply.

- A - Browse Only
- B - Editable
- C - Adds Allowed
- D - User Defined

Answer: A, B, C

Question: 8

The Microsoft Dynamics GP Application contains several tables. Tables can be attached to forms and auto-linked to windows. How many auto-linked tables can exist for each window?

- A - 1
- B - 2
- C - 3
- D - Unlimited

Answer: A

Question: 9

In Modifier, how can you change the property of a field or a window using the Properties window? Choose the 3 that apply.

- A - Double-click on the property to change its value
- B - Select a value from a list
- C - Edit Manually
- D - Field properties cannot be changed using Modifier

Answer: A, B, C

Question: 10

You would like to customize a window and have opened the window layout with Modifier. Which window properties can be changed using Modifier? Choose the 2 that apply.

- A - AutoOpen
- B - Title
- C - Name
- D - WindowID

Answer: A, B

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 11

What variables can be used only by procedures in the same module?

- A - Public
- B - Private
- C - Explicit
- D - Static

Answer: B

Question: 12

What is a set of declarations followed by procedures defined as?

- A - Method
- B - Property
- C - Function
- D - Module

Answer: D

Question: 13

What allows you to create a window or dialog box in your VBA project?

- A - Module
- B - User Form
- C - Procedures
- D - Class Module

Answer: B

Question: 14

You are customizing a Microsoft Dynamics GP window by adding VBA code. When debugging the code, which window would you open to display information for all objects on the current window?

- A - Immediate Window
- B - Locals Window
- C - Call Stack Window
- D - Watches Window

Answer: B

Question: 15

You open the Purchase Order Entry window. After selecting a Vendor ID you would like to open the Purchasing Vendor Detail Entry window for the user. Which VBA statement would open this window using the indirect method?

- A - PurchasingVendorDetailEntry.Open
- B - PurchaseOrderEntry.Open
- C - ExpansionButton4.Value = 1
- D - PurchasingVendorDetailEntry.Activate

Answer: C

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 16

You have added a Microsoft Dynamics GP window to the VBA project. You also need to add several fields from that window. How do you add multiple fields to VBA?

- A - Lasso the fields that you want to add. Choose Tools-Customize-Add fields to Visual Basic
- B - Lasso the fields you want to add. Choose Tools-Customize-Add Multiple fields to Visual Basic
- C - Select multiple fields using the Shift Key. Once they are selected choose Tools-Customize-Add fields to Visual Basic
- D - Choose Tools-Customize-Add fields to Visual Basic. Click on each field you want to add

Answer: D

Question: 17

In VBA what method can be used to move the cursor to a specific field?

- A - Focus
- B - Move
- C - Focus Field
- D - Move Field

Answer: A

Question: 18

You are asked to customize the Payables Transaction Entry window by making the Shipping Method a required field. Using VBA code, which statement would accomplish this?

- A - ShippingWeight.Required = True
- B - ShippingWeight is Required
- C - Shipping Weight = Required
- D - Required.ShippingWeight = True

Answer: A

Question: 19

You have added a Microsoft Dynamics GP window and several fields to the VBA project. You realize that a few fields are not needed. How do you remove an individual field from the VBA project?

- A - From VBA highlight the field in the Project Explorer window and delete it
- B - From VBA highlight the field from the list in the Code Window and delete it
- C - From Microsoft Dynamics GP choose Tools-Customize-Remove field from Visual Basic
- D - Individual fields cannot be removed from the VBA project

Answer: D

Question: 20

In VBA which property can be used to set the value of a field?

- A - Focus
- B - Value
- C - Set
- D - Caption

Answer: B

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 21

You open a Microsoft Dynamics GP window and want to customize it with VBA. The window that you opened is a Modal window. When a modal window is displayed, how can it be added to the VBA project?

- A - Tools - Customize - Add Current Window to Visual Basic
- B - Using the keyboard shortcut Ctrl + F11
- C - Modal Windows appear in the VBA project automatically
- D - Modal windows cannot be customized with VBA and cannot be added to the VBA project

Answer: B

Question: 22

If a field is added to a VBA project that is a reserved word what can you do if you want to refer to the field in code? Choose the 2 that apply.

- A - You cannot add a reserved word to VBA
- B - Fully qualify it in code
- C - Rename it using the Properties window
- D - Type the word in uppercase

Answer: B, C

Question: 23

You need to customize the original Microsoft Dynamics GP Item Maintenance window using VBA. The VBA code you write will need to reference the Item Number field from that window. What is the order of the steps that will allow access to the Item Number field?

- A - Add the Item Maintenance window to VBA; add the Item Number field to VBA
- B - Add the Item Maintenance window to VBA, add the Item Number field to VBA, mark a reference to the Item Maintenance window
- C - Add the Item Maintenance window to VBA, add the Item Number field to VBA, mark a reference to the Item Number field
- D - Add the Item Number field to VBA; add the Item Maintenance window to VBA

Answer: A

Question: 24

Using VBA code, how do you verify if a window is open?

- A - IsOpen Method
- B - IsLoaded Method
- C - IsOpen Property
- D - IsLoaded Property

Answer: D

Question: 25

You are customizing an original Microsoft Dynamics GP window using VBA. You add the Microsoft Dynamics GP window to the VBA project. How can you visually tell if the window is part of the VBA project? Choose the 2 that apply.

- A - In Microsoft Dynamics GP, a period appears after the window's title
- B - In Microsoft Dynamics GP, a period appears before and after the window's title
- C - The window's display name is listed in the VBA Project Explorer Window

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

D - The window's technical name is listed in the VBA Project Explorer Window

Answer: A, C

Question: 26

Which type of scrolling window allows the user to edit existing data in the scrolling window? Choose the 2 that apply.

- A - Browse Only
- B - Adds Allowed
- C - Editable
- D - Data cannot be changed in a scrolling window

Answer: B, C

Question: 27

In VBA, where are events listed?

- A - Project Explorer Window
- B - Toolbox
- C - Properties Sheet
- D - Code Window

Answer: D

Question: 28

You add the Transaction Entry window to the VBA project along with fields in the grid. Where would the fields added from the grid appear?

- A - In the Code Window for the Transaction Entry Detail Grid
- B - In the Project Explorer Window for the Transaction Entry Detail Grid
- C - In the Code Window for the Transaction Entry Window
- D - In the Project Explorer Window for the Transaction Entry Window

Answer: A

Question: 29

In Microsoft Dynamics GP what actions performed by a user can cause the VBA modal dialog event to run for a window? Choose the 3 that apply.

- A - Clicking the Browse Buttons
- B - Closing the Window
- C - Clicking the Delete Button
- D - Clicking the Save Button

Answer: A, B, C

Question: 30

If you want to set a drop-down list to a specific value and you don't want Microsoft Dynamics GP to overwrite your code what window event would you use?

- A - BeforeClose
- B - BeforeOpen
- C - AfterOpen
- D - AfterClose

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Answer: C

Question: 31

In VBA what method should be used before updating the value of a field?

- A - Activate
- B - Focus
- C - Open
- D - Move

Answer: B

Question: 32

The Purchase Order Entry window has been added to the VBA project. Code exists on the after user changed event for the Vendor ID field. Which actions performed by a user will cause the after user changed event to run? Choose the 2 that apply.

- A - Clicking on Browse Buttons
- B - Selecting a value from a Lookup Window
- C - Entering a new value in the field and moving focus out of the field
- D - Clicking on the Vendor ID Expansion Button

Answer: B, C

Question: 33

In VBA which function is used to convert a string to a currency data type?

- A - CCur()
- B - CInt()
- C - CDate()
- D - STRCur()

Answer: A

Question: 34

In VBA which event can be used to keep records from entering the grid?

- A - BeforeLinechange
- B - BeforeLinePopulate
- C - BeforeLineGotFocus
- D - BeforeLineLostFocus

Answer: B

Question: 35

In VBA which event can be used to stop Microsoft Dynamics GP code from executing and saving line information to the table?

- A - BeforeLineChange
- B - BeforeLinePopulate
- C - BeforeLineGotFocus
- D - BeforeLineLostFocus

Answer: A

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 36

When adding fields to a VBA project from a Microsoft Dynamics GP scrolling window, which statements are true? Choose the 2 that apply.

- A - Fields can be added after the scrolling window is added to your VBA project
- B - Multiple fields can be selected and added at one time
- C - The same field must be added for each line in the scrolling window
- D - The scrolling window must be active before fields can be added

Answer: A, D

Question: 37

In the VBA Properties window what options are listed for the Event Mode property? Choose the 3 that apply.

- A - emOriginalOnly
- B - emAlways
- C - emModifiedOnly
- D - emNever

Answer: A, C, D

Question: 38

Using VBA, how do you push a button on a Microsoft Dynamics GP window?

- A - Set the value of the push button equal to 0
- B - Set the value of the push button equal to 1
- C - Use the Click Event
- D - Use the Initialize Event

Answer: B

Question: 39

If DUOS tables were used in the VBA project, when distributing, where do the DUOS tables need to exist?

- A - In the same location as the Dynamics.dic
- B - In the same location as the Dynamics set file
- C - In the same location as the System files
- D - In the same location as the Company files

Answer: D

Question: 40

Using VBA, what type of events exist for Microsoft Dynamics GP reports? Choose the 3 that apply.

- A - Start Events
- B - End Events
- C - Band Events
- D - Field Events

Answer: A, B, C

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 41

What code would be used to update the DUOS table with the value of the Email Address field on the window?

- A - CustomerObject.Properties ("Email Address") = EmailAddress
- B - CustomerObject.Properties (EmailAddress) = "Email Address"
- C - EmailAddress = CustomerObject.Properties ("Email Address")
- D - "Email Address" = CustomerObject.Properties (EmailAddress)

Answer: A

Question: 42

In Report writer, which field type has the suffix FREQ appended to it when added to the VBA project?

- A - Control Count
- B - Count
- C - Sum
- D - Average

Answer: B

Question: 43

How are upgrades to the Microsoft Dynamics GP application released? Choose the 2 that apply.

- A - Package Files
- B - Services Packs
- C - Major Releases
- D - None of the above

Answer: B, C

Question: 44

Which report events use the level parameter? Choose the 2 that apply.

- A - BeforeAH Event
- B - BeforeAF Event
- C - AfterAH Event
- D - AfterAF Event

Answer: A, B

Question: 45

You're created some VBA customizations and are ready to distribute them to the end users. What is the recommended way to distribute customizations and which file will you give to the end users?

- A - Package file
- B - Forms.dic
- C - Reports.dic
- D - Dynamics.vba

Answer: A

Question: 46

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

What must be done before data can be accessed using ODBC? Choose the 3 that apply.

- A - Install the DDBC Drivers
- B - Install the Data Access Method
- C - Define the connection
- D - Mark the required variable declaration option

Answer: A, B, C

Question: 47

When working with multiple VBA projects, what needs to be done in order to reference fields from one project to another? Choose the 2 that apply.

- A - Mark a circular reference between the projects
- B - The same object must be added to each project
- C - Mark a reference from one project to another
- D - When referencing the object in the code window, the object must be fully qualified

Answer: C, D

Question: 48

You have customized a Microsoft Dynamics GP window using Modifier and VBA on a workstation. You would like to use the customizations on another workstation so you create a package tile which includes only the customizations you made. What will be affected when the package tile is imported on another workstation? Choose the 2 that apply.

- A - Dynamics.vba
- B - Reports.dic
- C - Security
- D - Forms.dic

Answer: A, D

Question: 49

When working with DUOS objects, what would the "for" and "next" statement do?

- A - Change multiple objects in the DUOS table
- B - Change one object in the DUOS table
- C - Change multiple objects in the collection
- D - Change one object in the collection

Answer: C

Question: 50

When working with DUOS, it is important to handle the Save Dialog message appropriately. The user has a record displayed on the screen and they make a change to that record. What next action would cause the save dialog to appear? Choose the 3 that apply.

- A - Clicking on the Save Button
- B - Clicking on the Browse Buttons
- C - Clicking on the Lookup Button and selecting another record
- D - Closing the window

Answer: B, C, D

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 51

Which of the following registered modules allow customized windows to be used in Microsoft Dynamics GP? Choose the 2 that apply.

- A - Software Development Kit
- B - Customization Site Enabler
- C - Modifier
- D - Integration Manager

Answer: B, C

Question: 52

You would like to customize a window and have opened the window layout with Modifier. Which window properties can be changed using Modifier? Choose the 2 that apply.

- A - AutoOpen
- B - Title
- C - Name
- D - WindowID

Answer: A, B

Question: 53

Graphical objects are used throughout the Microsoft Dynamics GP application. In Modifier, what objects can be used to display graphics? Choose the 2 that apply

- A - String
- B - Lookup Button
- C - Push Button
- D - Message

Answer: B, C

Question: 54

You are asked to modify a Microsoft Dynamics GP window by adding fields to it, Using Modifier, what type of fields can be added? Choose the 2 that apply.

- A - Local Fields
- B - Fields from any table attached to the form
- C - Fields from the auto-linked table
- D - Fields from the table created by the user

Answer: A, C

Question: 55

In Microsoft Dynamics GP scrolling windows are used to display multiple lines of information. What types of scrolling windows exist in the application? Choose the 3 that apply.

- A - Browse Only
- B - Editable
- C - AddsAllowed
- D - User Defined

Answer: A, B, C

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 56

In Modifier, the user opens the IV_Item Transaction Inquiry window. This window contains a scrolling window. Where can the user look to verify the type of scrolling window?

- A - Property Sheet - Object Tab
- B - Property Sheet - Visual Tab
- C - Toolbox - Drop Down List
- D - Layout - Preview

Answer: A

Question: 57

In Modifier, how can you change the property of a field or a window using the Properties window? Choose the 3 that apply.

- A - Double-click on the property to change its value
- B - Select a value from a list
- C - Edit Manually
- D - Field properties cannot be changed using Modifier

Answer: A, B, C

Question: 58

In Modifier the user opens an existing Microsoft Dynamics GP data type "DDL_Country". This data type is a drop-down list containing 3 static text values. What options are available for customizing the static text values?

- A - Insert
- B - Remove
- C - Replace
- D - Edit

Answer: C

Question: 59

Original Microsoft Dynamics GP windows customized using Modifier get stored in the Forms.dic, When does the Forms.dic get created?

- A - Installation of Microsoft Dynamics GP
- B - Opening of Microsoft Dynamics GP
- C - The first time you access Modifier from the application
- D - When reg keys are added to allow access to Modifier

Answer: C

Question: 60

The Microsoft Dynamics GP Application contains several tables. Tables can be attached to forms and auto-linked to windows. How many auto-linked tables can exist for each window?

- A - 1
- B - 2
- C - 3
- D - unlimited

Answer: A

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 61

What allows you to create a window or dialog box in your VBA project?

- A - Module
- B - User Form
- C - Procedures
- D - Class Module

Answer: B

Question: 62

Which method would you use to make an object visible in VBA?

- A - Load
- B - Show
- C - Hide
- D - Focus

Answer: B

Question: 63

Declaring variables before using them in your code is recommended. Doing this alleviates incorrect names for variables when writing code and the scope of variables can also be defined. In the VBA options window you can mark an option called "Require Variable Declaration". If this option is marked what displays in the code window before any procedure?

- A - Option Explicit
- B - Explicit
- C - Implicit
- D - Force Explicit

Answer: A

Question: 64

You are in the VBA code window writing code. After typing a valid object name, what can be used after typing the object name to display a drop-down list of methods and properties available for that object?

- A - comma
- B - period
- C - apostrophe
- D - exclamation mark

Answer: B

Question: 65

You have a need to hide the Customer Maintenance window. The Customer Maintenance window has been added to the VBA project. Using VBA code, which VBA statements would accomplish this? Choose the 2 that apply

- A - CustomerMaintenance.Window.Visible = False
- B - CustomerMaintenance.Window.Hide
- C - CustomerMaintenance.Hide
- D - CustomerMaintenance.Visible = False

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Answer: C, D

Question: 66

You need to customize the original Microsoft Dynamics GP Item Maintenance window using VBA. The VBA code you write will need to reference the Item Number field from that window. What is the order of the steps that will allow access to the Item Number field?

- A - Add the Item Maintenance window to VBA; add the Item Number field to VBA
- B - Add the Item Maintenance window to VBA, add the Item Number field to VBA, mark a reference to the Item Maintenance window
- C - Add the Item Maintenance window to VBA, add the Item Number field to VBA, mark a reference to the Item Number field
- D - Add the Item Number field to VBA; add the Item Maintenance window to VBA

Answer: A

Question: 67

You work for a hospital and are asked to customize the Vendor Maintenance window. The customization will change the window to display Patient Maintenance when opened. Which VBA statement will accomplish this?

- A - VendorMaintenance.Title = "Patient Maintenance"
- B - VendorMaintenance.Caption = "Patient Maintenance"
- C - VendorMaintenance.Title = Patient Maintenance
- D - VendorMaintenance.Caption = Patient Maintenance

Answer: B

Question: 68

You open a Microsoft Dynamics GP window and want to customize it with VBA. The window that you opened is a Modal window. When a modal window is displayed, how can it be added to the VBA project?

- A - Tools - Customize - Add Current Window to Visual Basic
- B - Using the keyboard shortcut Ctrl + F11
- C - Modal Windows appear in the VBA project automatically
- D - Modal windows cannot be customized with VBA and cannot be added to the VBA project

Answer: B

Question: 69

You have added a Microsoft Dynamics GP window to the VBA project. You realize that the wrong window has been added. How do you remove the window from the VBA Project?

- A - From VBA highlight the window in Project Explorer and delete it
- B - From Microsoft Dynamics GP, open the window and choose Tools-Customize-Remove Current Window from Visual Basic
- C - From VBA open the window, right click and choose delete
- D - Once added, Microsoft Dynamics GP windows cannot be removed from the VBA project

Answer: B

Question: 70

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

You have added a Microsoft Dynamics GP window and several fields to the VBA project. You realize that a few fields are not needed. How do you remove an individual field from the VBA project?

- A - From VBA highlight the field in the Project Explorer window and delete it
- B - From VBA highlight the field from the list in the Code Window and delete it
- C - From Microsoft Dynamics GP choose Tools-Customize-Remove field from Visual Basic
- D - Individual fields cannot be removed from the VBA project

Answer: D

Question: 71

You are asked to customize the Payables Transaction Entry window by making the Shipping Method a required field. Using VBA code, which statement would accomplish this?

- A - ShippingWeight.Required = True
- B - ShippingWeight is Required
- C - Shipping Weight = Required
- D - Required.ShippingWeight True

Answer: A

Question: 72

You open the Purchase Order Entry window. After selecting a Vendor ID you would like to open the Purchasing Vendor Detail Entry window for the user. Which VBA statement would open this window using the indirect method?

- A - PurchasingVendorDetailEntry.Open
- B - PurchaseOrderEntry.Open
- C - ExpansionButton4.Value = 1
- D - PurchasingVendorDetailEntry.Activate

Answer: C

Question: 73

You are customizing an original Microsoft Dynamics GP window using VBA. You add the Microsoft Dynamics GP window to the VBA project. How can you visually tell if the window is part of the VBA project? Choose the 2 that apply.

- A - In Microsoft Dynamics GP, a period appears after the window's title
- B - In Microsoft Dynamics GP, a period appears before and after the window's title
- C - The window's display name is listed in the VBA Project Explorer Window
- D - The window's technical name is listed in the VBA Project Explorer Window

Answer: A, C

Question: 74

In VBA what method can be used to move the cursor to a specific field?

- A - Focus
- B - Move
- C - Focus Field
- D - Move Field

Answer: A

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 75

You are asked to customize the Payables Transaction Entry window and hide the Payment Terms field when the user selects "Return" in the Document Type field. Using VBA code, how many ways are there to hide the field?

- A - 1
- B - 2
- C - 3
- D - 4

Answer: A

Question: 76

Within VBA, what are scrolling windows called?

- A - Scrolling Windows
- B - Windows
- C - Grids
- D - Scrolling Window Grids

Answer: C

Question: 77

When adding fields to a VBA project from a Microsoft Dynamics GP scrolling window, which statements are true? Choose the 2 that apply.

- A - Fields can be added after the scrolling window is added to your VBA project
- B - Multiple fields can be selected and added at one time
- C - The same field must be added for each line in the scrolling window
- D - The scrolling window must be active before fields can be added

Answer: A, D

Question: 78

The user adds VBA code in the BeforeGotFocus event for a field. In the code, the CancelLogic parameter is used. What does the CancelLogic parameter do?

- A - Stops the VBA window from closing
- B - Stops the Microsoft Dynamics GP window from closing
- C - Stops the VBA code just executed from running
- D - Stops the Microsoft Dynamics GP code for the field from executing

Answer: D

Question: 79

In VBA what window event can be used to check which button the user pushed on a modal dialog message?

- A - AfterModalDialog
- B - BeforeModalDialog
- C - AfterClose
- D - BeforeClose

Answer: A

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 80

The Purchase Order Entry window has been added to the VBA project. Code exists on the after user changed event for the Vendor ID field. Which actions performed by a user will cause the after user changed event to run? Choose the 2 that apply.

- A - Clicking on Browse Buttons
- B - Selecting a value from a Lookup Window
- C - Entering a new value in the field and moving focus out of the field
- D - Clicking on the Vendor ID Expansion Button

Answer: B, C

Question: 81

In VBA which event can be used to stop Microsoft Dynamics GP code from executing and saving line information to the table?

- A - BeforeLineChange
- B - BeforeLinePopulate
- C - BeforeLineGotFocus
- D - BeforeLineLostFocus

Answer: A

Question: 82

Using VBA, how do you push a button on a Microsoft Dynamics GP window?

- A - Set the value of the push button equal to 0
- B - Set the value of the push button equal to 1
- C - Use the Click Event
- D - Use the Initialize Event

Answer: B

Question: 83

In VBA, where are events listed?

- A - Project Explorer Window
- B - Toolbox
- C - Properties Sheet
- D - Code Window

Answer: D

Question: 84

In Microsoft Dynamics GP what actions performed by a user can cause the VBA modal dialog event to run for a window? Choose the 3 that apply.

- A - Clicking the Browse Buttons
- B - Closing the Window
- C - Clicking the Delete Button
- D - Clicking the Save Button

Answer: A, B, C

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 85

In VBA which function is used to convert a string to a currency data type?

- A - CCur()
- B - CInt()
- C - CDate()
- D - STRCur()

Answer: A

Question: 86

In the VBA Properties window what options are listed for the EventMode property? Choose the 3 that apply.

- A - emOriginalOnly
- B - emAlways
- C - emModifiedOnly
- D - emNever

Answer: A, C, D

Question: 87

In VBA what method moves focus to a specific area of a composite field?

- A - FOCUS
- B - FocusSeg
- C - FocusComp
- D - SetComp

Answer: B

Question: 88

You add the Transaction Entry window to the VBA project along with fields in the grid. Where would the fields added from the grid appear?

- A - In the Code Window for the Transaction Entry Detail Grid
- B - In the Project Explorer Window for the Transaction Entry Detail Grid
- C - In the Code Window for the Transaction Entry Window
- D - In the Project Explorer Window for the Transaction Entry Window

Answer: A

Question: 89

In Report Writer, which field can be used to print information from the DUOS table?

- A - DUOS table fields
- B - Global Fields
- C - Calculated Fields
- D - Legend Fields

Answer: C

Question: 90

What must be done before data can be accessed using ODBC? Choose the 3 that apply.

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

- A - Install the ODBC Drivers
- B - Install the Data Access Method
- C - Define the connection
- D - Mark the required variable declaration option

Answer: A, B, C

Question: 91

You have customized a Microsoft Dynamics GP window using Modifier and VBA on a workstation. You would like to use the customizations on another workstation so you create a package file which includes only the customizations you made. What will be affected when the package file is imported on another workstation? Choose the 2 that apply.

- A - Dynamics.vba
- B - Reports.dic
- C - Security
- D - Forms.dic

Answer: A, D

Question: 92

On the Item Maintenance window, which event should be used to retrieve DUOS information for the Item Field to ensure the code executes in all possible situations?

- A - AfterUserChanged
- B - BeforeUserChanged
- C - Changed
- D - AfterGotFocus

Answer: C

Question: 93

When working with multiple VBA projects, what needs to be done in order to reference fields from one project to another? Choose the 2 that apply.

- A - Mark a circular reference between the projects
- B - The same object must be added to each project
- C - Mark a reference from one project to another
- D - When referencing the object in the code window, the object must be fully qualified

Answer: C, D

Question: 94

How are upgrades to the Microsoft Dynamics GP application released? Choose the 2 that apply.

- A - Package Files
- B - Services Packs
- C - Major Releases
- D - None of the above

Answer: B, C

Question: 95

Which report events use the level parameter? Choose the 2 that apply.

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

- A - BeforeAH Event
- B - BeforeAF Event
- C - AfterAH Event
- D - AfterAF Event

Answer: A, B

Question: 96

You are the developer in your company and are in charge of implementing customizations and upgrades to end users. A new version of Microsoft Dynamics GP is released. After installing the new version, you open the VBA application and verify the customizations still work. A change to the VBA file is needed and is made now you need to deliver this change to the end users. What type of file do you give the end users?

- A - Configuration File
- B - Chunk File
- C - Service Pack
- D - Package File

Answer: D

Question: 97

You've created some VBA customizations and are ready to distribute them to the end users. What is the recommended way to distribute customizations and which file will you give to the end users?

- A - Package file
- B - Forms.dic
- C - Reports.dic
- D - Dynamics.vba

Answer: A

Question: 98

In Report writer, which field type has the suffix **FREQ** appended to it when added to the VBA project?

- A - Control Count
- B - Count
- C - Sum
- D - Average

Answer: B

Question: 99

If DUOS tables were used in the VBA project, when distributing, where do the DUOS tables need to exist?

- A - In the same location as the Dynamics.dic
- B - In the same location as the Dynamics .set file
- C - In the same location as the System files
- D - In the same location as the Company files

Answer: D

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 100

Using VBA, what type of events exist for Microsoft Dynamics GP reports? Choose the 3 that apply.

- A - Start Events
- B - End Events
- C - sand Events
- D - Field Events

Answer: A, B, C

Question: 101

In Microsoft Dynamics GP, formats are used to display data a particular way. For example a phone number could contain a format with and without an extension. Using Modifier which resource would be used to attach a format?

- A - Data Type
- B - Field
- C - Table
- D - Window

Answer: A

Question: 102

You are asked to customize the PM Vendor Maintenance window by adding a new local field called Email Address. After adding the field you create a text promptforthatfield. What should you do to make this a required field? What should you do so the user can visually tell that it is a required field? Each correct answer presents part of the solution. Choose the 2 that apply.

- A - Auto-link the text prompt to the field
- B - Use Link Prompt to link the text prompt to the field
- C - Use Link Lookup to link the field
- D - Change the Required properly for the field to true

Answer: B, D

Question: 103

The Microsoft Dynamics GP Application contains several tables. Tables can be attached to forms and auto-linked to windows. How many auto-linked tables can exist for each window?

- A - 1
- B - 2
- C - 3
- D - Unlimited

Answer: A

Question: 104

Global changes can be made to some resources in Microsoft Dynamics GP. When a global change is made, this change affects the entire dictionary. Using Modifier, what type of resource can be customized with a global change? Choose the 3 that apply.

- A - Pictures
- B - Data Types
- C - Tables

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

D - Messages

Answer: A, B, D

Question: 105

In Modifier, how can you change the property of a field or a window using the Properties window? Choose the 3 that apply.

- A - Double-click on the property to change its value
- B - Select a value from a list
- C - Edit Manually
- D - Field properties cannot be changed using Modifier

Answer: A, B, C

Question: 106

In Modifier the user opens an existing Microsoft Dynamics GP data type "DDL_Country". This data type is a drop-down list containing 3 static text values. What options are available for customizing the static text values?

- A - Insert
- B - Remove
- C - Replace
- D - Edit

Answer: C

Question: 107

You are asked to customize a Modified Microsoft Dynamics GP window. This window has original fields as well as some new local fields. Using Modifier, what can be deleted from the window?

- A - Any Microsoft Dynamics GP global field that isn't a required field
- B - Any Microsoft Dynamics GP global field not being used
- C - Any Global field created with Modifier
- D - Any Local field created with Modifier

Answer: D

Question: 108

In Microsoft Dynamics GP scrolling windows are used to display multiple lines of information. What types of scrolling windows exist in the application? Choose the 3 that apply.

- A - Browse Only
- B - Editable
- C - Adds Allowed
- D - User Defined

Answer: A, B, C

Question: 109

You are asked to modify a Microsoft Dynamics GP window by adding fields to it. Using Modifier, what type of fields can be added? Choose the 2 that apply.

- A - Local Fields
- B - Fields from any table attached to the form

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

- C - Fields from the auto-linked table
D - Fields from the table created by the user

Answer: A, C

Question: 110

In Modifier, the user opens the IV_Item_Transaction_Inquiry window. This window contains a scrolling window. Where can the user look to verify the type of scrolling window?

- A - Property Sheet - Object Tab
B - Property Sheet - Visual Tab
C - Toolbox - Drop Down List
D - Layout-Preview

Answer: A

Question: 111

You are customizing a Microsoft Dynamics GP window by adding VBA code. When debugging the code, which window would you open to display information for all objects on the current window?

- A - Immediate Window
B - Locals Window
C - Call Stack Window
D - Watches Window

Answer: B

Question: 112

What allows you to create a window or dialog box in your VBA project?

- A - Module
B - User Form
C - Procedures
D - Class Module

Answer: B

Question: 113

You are in the VBA code window writing code. After typing a valid object name, what can be used after typing the object name to display a drop-down list of methods and properties available for that object?

- A - comma
B - period
C - apostrophe
D - exclamation mark

Answer: B

Question: 114

Declaring variables before using them in your code is recommended. Doing this alleviates incorrect names for variables when writing code and the scope of variables can also be defined. In the VBA options window you can mark an option called "Require Variable Declaration". If this option is marked what displays in the code window before any procedure?

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

- A - Option Explicit
- B - Explicit
- C - Implicit
- D - Force Explicit

Answer: A

Question: 115

You open a Microsoft Dynamics GP window and want to customize it with VBA. The window that you opened is a Modal window. When a modal window is displayed, how can it be added to the VBA project?

- A - Tools - Customize - Add Current Window to Visual Basic
- B - Using the keyboard shortcut Ctrl +F11
- C - Modal Windows appear in the VBA project automatically
- D - Modal windows cannot be customized with VBA and cannot be added to the VBA project

Answer: B

Question: 116

You are customizing an original Microsoft Dynamics GP window using VBA. You add the Microsoft Dynamics GP window to the VBA project. How can you visually tell if the window is part of the VBA project? Choose the 2 that apply.

- A - In Microsoft Dynamics GP, a period appears after the window's title
- B - In Microsoft Dynamics GP, a period appears before and after the window's title
- C - The window's display name is listed in the VBA Project Explorer Window
- D - The window's technical name is listed in the VBA Project Explorer Window

Answer: A, C

Question: 117

You have a need to hide the Customer Maintenance window. The Customer Maintenance window has been added to the VBA project. Using VBA code, which VBA statements would accomplish this? Choose the 2 that apply.

- A - CustomerMaintenance.Window.Visible = False
- B - CustomerMaintenance.Window.Hide
- C - CustomerMaintenance.Hide
- D - CustomerMaintenance.Visible = False

Answer: C, D

Question: 118

In VBA which property can be used to set the value of a field?

- A - Focus
- B - Value
- C - Set
- D - Caption

Answer: B

Question: 119

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

You open the Purchase Order Entry window. After selecting a Vendor ID you would like to open the Purchasing Vendor Detail Entry window for the user. Which VBA statement would open this window using the indirect method?

- A - PurchasingVendorDetailEntry.Open
- B - PurchaseOrderEntry.Open
- C - ExpansionButton4.Value = 1
- D - PurchasingVendorDetailEntry.Activate

Answer: C

Question: 120

In VBA what method can be used to move the cursor to a specific field?

- A - Focus
- B - Move
- C - Focus Field
- D - Move Field

Answer: A

Question: 121

Using VBA code, how do you verify if a window is open?

- A - IsOpen Method
- B - IsLoaded Method
- C - IsOpen Property
- D - IsLoaded Property

Answer: D

Question: 122

You work for a hospital and are asked to customize the Vendor Maintenance window. The customization will change the window to display Patient Maintenance when opened. Which VBA statement will accomplish this?

- A - VendorMaintenance.Title = "Patient Maintenance"
- B - VendorMaintenance.Caption = "Patient Maintenance"
- C - VendorMaintenance.Title = Patient Maintenance
- D - VendorMaintenance.Caption = Patient Maintenance

Answer: B

Question: 123

If a field is added to a VBA project that is a reserved word, what can you do if you want to refer to the field in code? Choose the 2 that apply.

- A - You cannot add a reserved word to VBA
- B - Fully qualify it in code
- C - Rename it using the Properties window
- D - Type the word in upper case

Answer: B, C

Question: 124

Page 25 of 31	© SelfExamEngine.com
---------------	----------------------

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

You need to customize the original Microsoft Dynamics GP Item Maintenance window using VBA. The VBA code you write will need to reference the Item Number field from that window. What is the order of the steps that will allow access to the Item Number field?

- A - Add the Item Maintenance window to VBA; add the Item Number field to VBA
- B - Add the Item Maintenance window to VBA, add the Item Number field to VBA, mark a reference to the Item Maintenance window
- C - Add the Item Maintenance window to VBA, add the Item Number field to VBA, mark a reference to the Item Number field
- D - Add the Item Number field to VBA; add the Item Maintenance window to VBA

Answer: A

Question: 125

You are asked to customize the Payables Transaction Entry window by making the Shipping Method a required field. Using VBA code, which statement would accomplish this?

- A - ShippingWeight.Required = True
- B - ShippingWeight is Required
- C - Shipping Weight = Required
- D - Required.ShippingWeight = True

Answer: A

Question: 126

In VBA, where are events listed?

- A - Project Explorer Window
- B - Toolbox
- C - Properties Sheet
- D - Code Window

Answer: D

Question: 127

If you want to set a drop-down list to a specific value and you don't want Microsoft Dynamics GP to overwrite your code what window event would you use?

- A - BeforeClose
- B - BeforeOpen
- C - AfterOpen
- D - AfterClose

Answer: C

Question: 128

The user adds VBA code in the BeforeGotFocus event for a field. In the code, the CancelLogic parameter is used. What does the CancelLogic parameter do?

- A - Stops the VBA window from closing
- B - Stops the Microsoft Dynamics GP window from closing
- C - Stops the VBA code just executed from running
- D - Stops the Microsoft Dynamics GP code for the field from executing

Answer: D

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

Question: 129

In VBA what method should be used before updating the value of a field?

- A - Activate
- B - Focus
- C - Open
- D - Move

Answer: B

Question: 130

In VBA which function is used to convert a string to a currency data type?

- A - CCur()
- B - CInt()
- C - CDate()
- D - STRCur()

Answer: A

Question: 131

In VBA what method moves focus to a specific area of a composite field?

- A - Focus
- B - FocusSeg
- C - FocusComp
- D - SetComp

Answer: B

Question: 132

Which type of scrolling window allows the user to edit existing data in the scrolling window?
Choose the 2 that apply.

- A - Browse Only
- B - AddsAllowed
- C - Editable
- D - Data cannot be changed in a scrolling window

Answer: B, C

Question: 133

Using VBA, how do you push a button on a Microsoft Dynamics GP window?

- A - Set the value of the push button equal to 0
- B - Set the value of the push button equal to 1
- C - Use the Click Event
- D - Use the Initialize Event

Answer: B

Question: 134

In VBA which window event has a special parameter called Abort Close?

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

- A - AfterOpen
- B - AfterClose
- C - BeforeOpen
- D - BeforeClose

Answer: D

Question: 135

You add the Transaction Entry window to the VBA project along with fields in the grid. Where would the fields added from the grid appear?

- A - In the Code Window for the Transaction Entry Detail Grid
- B - In the Project Explorer Window for the Transaction Entry Detail Grid
- C - In the Code Window for the Transaction Entry Window
- D - In the Project Explorer Window for the Transaction Entry Window

Answer: A

Question: 136

The Purchase Order Entry window has been added to the VBA project. Code exists on the after user changed event for the Vendor ID field. Which actions performed by a user will cause the after user changed event to run? Choose the 2 that apply.

- A - Clicking on Browse Buttons
- B - Selecting a value from a Lookup Window
- C - Entering a new value in the field and moving focus out of the field
- D - Clicking on the Vendor ID Expansion Button

Answer: BC

Question: 137

In VBA what window event can be used to check which button the user pushed on a modal dialog message?

- A - AfterModalDialog
- B - BeforeModalDialog
- C - AfterClose
- D - BeforeClose

Answer: A

Question: 138

In VBA which event can be used to stop Microsoft Dynamics GP code from executing and saving line information to the table?

- A - BeforeLinechange
- B - BeforeLinePopulate
- C - BeforeLineGotFocus
- D - BeforeLineLostFocus

Answer: A

Question: 139

What must be done before data can be accessed using ODBC? Choose the 3 that apply.

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

- A - Install the ODBC Drivers
- B - Install the Data Access Method
- C - Define the connection
- D - Mark the required variable declaration option

Answer: A, B, C

Question: 140

Which report events use the level parameter? Choose the 2 that apply.

- A - BeforeAH Event
- B - BeforeAF Event
- C - AfterAH Event
- D - AfterAF Event

Answer: A, B

Question: 141

When working with DUOS, it is important to handle the Save Dialog message appropriately. The user has a record displayed on the screen and they make a change to that record. What next action would cause the save dialog to appear? Choose the 3 that apply.

- A - Clicking on the Save Button
- B - Clicking on the Browse Buttons
- C - Clicking on the Lookup Button and selecting another record
- D - Closing the window

Answer: B, C, D

Question: 142

You're created some VBA customizations and are ready to distribute them to the end users. What is the recommended way to distribute customizations and which file will you give to the end users?

- A - Package tile
- B - Forms.dic
- C - Reports.dic
- D - Dynamics.vba

Answer: A

Question: 143

Using VBA, what type of events exist for Microsoft Dynamics GP reports? Choose the 3 that apply.

- A - Start Events
- B - End Events
- C - Band Events
- D - Field Events

Answer: A, B, C

Question: 144

When working with multiple VBA projects, what needs to be done in order to reference fields from one project to another? Choose the 2 that apply.

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

- A - Mark a circular reference between the projects
- B - The same object must be added to each project
- C - Mark a reference from one project to another
- D - When referencing the object in the code window, the object must be fully qualified

Answer: C, D

Question: 145

If DUOS tables were used in the VBA project, when distributing, where do the DUOS tables need to exist?

- A - In the same location as the Dynamics.dic
- B - In the same location as the Dynamics set file
- C - In the same location as the System files
- D - In the same location as the Company files

Answer: D

Question: 146

You have customized a Microsoft Dynamics GP window using Modifier and VBA on a workstation. You would like to use the customizations on another workstation so you create a package file which includes only the customizations you made. What will be affected when the package file is imported on another workstation? Choose the 2 that apply.

- A - Dynamics.vba
- B - Reports.dic
- C - Security
- D - Forms.dic

Answer: A, D

Question: 147

In VBA what needs to be done in order to use DUOS methods and properties? Choose the 2 that apply.

- A - Declare the collection
- B - Declare the object
- C - Mark the Required Declaration Option
- D - Mark a reference to the DUOS tables

Answer: A, B

Question: 148

When working with DUOS objects, what would the "for" and "next" statement do?

- A - Change multiple objects in the DUOS table
- B - Change one object in the DUOS table
- C - Change multiple objects in the collection
- D - Change one object in the collection

Answer: C

Question: 149

Exam Name:	GP 9.0 Modifier with VBA		
Exam Type:	Microsoft		
Exam Code:	MB3-461	Total Questions:	150

In Report writer, which field type has the suffix FREQ appended to it when added to the VBA project?

- A - Control Count
- B - Count
- C - Sum
- D - Average

Answer: B

Question: 150

What code would be used to update the DUOS table with the value of the Email Address field on the window?

- A - CustomerObject.Properties ("Email Address") = EmailAddress
- B - CustomerObject.Properties (EmailAddress) = "Email Address"
- C - EmailAddress = CustomerObject.Properties ("Email Address")
- D - "Email Address" = CustomerObject.Properties (EmailAddress)

Answer: A

End of Document